

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listing, of claims in the application:

1. (Canceled)

2. (Currently Amended) ~~The~~A magnetic mono-component toner composition according to ~~Claim 1~~, which comprises:

a) 100wt% of magnetic toner particle comprising:

i ) 30 to 80wt% of a binder resin (for 100wt% of magnetic toner particle);

ii) 20 to 70wt% of a magnetic component (for 100wt% of magnetic toner particle); and

iii) 0.15 to 4wt% of a charge control agent (for 100wt% of magnetic toner particle);

b) 0.5 to 1.5wt% of a hydrophobic treated silica having a specific surface area of 20 to 80m<sup>2</sup>/g;

c) 0.5 to 2.5wt% of a hydrophobic treated silica having a specific surface area of 130 to 230m<sup>2</sup>/g; and

d) 0.3 to 1.5wt% of a metal oxide fine powder.

3. (Currently Amended) The magnetic mono-component toner composition according to Claim 12, wherein a) i) the binder resin is one or more selected from the group consisting of polyester, poly(methyl acrylate), poly(ethyl acrylate), poly(butyl acrylate), poly(2-ethylhexyl acrylate), poly(lauryl acrylate), poly(methyl methacrylate), poly(butyl methacrylate), poly(hexyl methacrylate), poly(2-ethylhexyl methacrylate), poly(lauryl methacrylate), a copolymer of acrylates and methacrylates, a copolymer of a styrene monomer and acrylates or methacrylates, poly(vinyl acetate), poly(vinyl propionate), poly(vinyl lactate), polyethylene, polypropylene, a styrene butadiene copolymer, a styrene isoprene copolymer, a styrene maleic acid copolymer, poly(vinyl ether), poly(vinyl ketone), polyamide, polyurethane, rubber, epoxy resin, poly(vinyl butyral) rosin, a modified rosin, and a phenol resin, which are obtained by condensation or addition polymerization of alcohol components and carboxylic acid components.

4. (Currently Amended) The magnetic mono-component toner composition according to Claim 12, wherein a) ii) the magnetic component is one or more selected from the group consisting of alloys or mixtures of magnetite, hematite, ferrite, iron, cobalt, nickel, or manganese; ferromagnetic alloys; and a magnetic oxide.

5. (Currently Amended) The magnetic mono-component toner composition according to Claim 12, wherein a) iii) the charge control agent is a metal complex azo dye or a salicylic acid compound for a negative charged toner, and a nigrosine dye or a quaternary ammonium salt for a positive charged toner.

6. (Currently Amended) The magnetic mono-component toner composition according to Claim 12, wherein a) the magnetic mono-component toner particle further comprise iv) 0.05 to 5wt% of release agent for 100wt% of the binder resin.

7. (Currently Amended) The magnetic mono-component toner composition according to Claim 12, wherein average diameter of a) the toner particle is 5 to 30pm.

8. (Currently Amended) The magnetic mono-component toner composition according to Claim 42, wherein b) the hydrophobic treated silica having a specific surface area of 20 to 80m<sup>2</sup>/g and c) the hydrophobic treated silica having a specific surface area of 130 to 230m<sup>2</sup>/g are hydrophobic treated by coating or attaching a silane coupling agent or silicone oil on the silica particles.

9. (Currently Amended) The magnetic mono-component toner composition according to Claim 42, wherein d) the metal oxide fine powder is one or more mixtures selected from a group consisting of titanium dioxide, aluminum oxide, zinc oxide, magnesium oxide, cerium oxide, iron oxide, copper oxide, and tin oxide.